



Competitive Comparison

тоуота

MODELS



PACKAGE Standard Package

Double Cab SR 4X2 Long Bed

PACKAGE Standard Package



PACKAGE

Standard Package

Ly Tundra SR5

L→ Tundra SR5 TRD Sport

 $f L_{\!ullet}$ Tundra TRD Off Road

La TRD Off Road (Towing Mirrors)



PACKAGE Standard Package

Double Cab Limited PACKAGE

Limited Nightshade

L→ Tundra Limited TRD Off Road

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Lunar Rock

Wind Chill Pearl

Midnight Black Metallic

Blueprint

Magnetic Grey Metallic

Supersonic Red

AVAILABLE INTERIOR COLOURS

Black Cloth

Black SofTex

Grey SofTex











Competitive Comparison

OPTIONAL PACKAGES

TUNDRA DOUBLE CAB SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- · LED Fog Lamps

- · 2-way Power Adjustable Driver and Passenger **Lumbar Support**
- Towing Capacity kg (lbs.): 5080 (11199)
- · Dual Zone Automatic Climate Control
- · Trailer Brake Controller
- · Active Front Spoiler
- · P265/70R18

- · 8-way Power Adjustable Driver and Passenger
- · Fuel Capacity litres (gal.): 121 (32)
- · Hill-start Assist Control (HAC)
- · Active Grille Shutters
- · Heated Front Seats

TRD OFF ROAD

- · Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- · Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- Trailer Brake Controller
- · Multi-Terrain Select
- LED Fog Lamps

- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- · Hill-start Assist Control (HAC)
- 18" Off Road Alloy Wheels
- · Locking Rear Differential
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18

- · 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Fuel Capacity litres (gal.): 121 (32)
- · Blind Spot Monitoring with RCTA
- · DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Crawl Control (CRAWL)
- TRD Front Grille

SR5 TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Dual Zone Automatic Climate Control
- 20" TRD Sport alloy wheels
- · 265/60R20 All Season Tires
- · Active Grille Shutters
- · TRD Front Grille

- · 2-way Power Adjustable Driver and Passenger **Lumbar Support**
- · Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- · Hill-start Assist Control (HAC)
- TRD Sport Tuned Shock Absorbers
- · TRD Heated Steering Wheel
- · Active Front Spoiler

Lumbar Support

LED Fog Lamps

- · 8-way Power Adjustable Driver and Passenger
- · Intuitive Parking Assist with Auto Braking
- · Fuel Capacity litres (gal.): 121 (32)
- · Blind Spot Monitoring with RCTA
- · TRD Leather Wrapped Shift Knob
- · Trailer Brake Controller
- Heated Front Seats

TRD OFF ROAD (TOWING MIRRORS)

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- · Fuel Capacity litres (gal.): 121 (32)
- · Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- · Crawl Control (CRAWL) · TRD Front Grille
- Towing Capacity kg (lbs.): 5080 (11199)

· 2-way Power Adjustable Driver and Passenger

· Side Rail with Four Adjustable Tie Down Cleats

- · Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob TRD Off Road Shock Absorbers
- · Trailer Brake Controller
- · Multi-Terrain Select
- · LED Fog Lamps

- · 8-way Power Adjustable Driver and Passenger
- · Intuitive Parking Assist with Auto Braking
- · Power Extendable/Folding Towing Mirrors
- · Hill-start Assist Control (HAC)
- 18" Off Road Alloy Wheels
- · Locking Rear Differential
- · Active Grille Shutters
- · Heated Front Seats
- P265/70R18







Competitive Comparison



TUNDRA DOUBLE CAB LIMITED

LIMITED TRD OFF ROAD

- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- TRD Heated Steering Wheel
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- Locking Rear Differential
- Multi-Terrain Select





Competitive Comparison



STANDARD SPECIFICATIONS

● Standard — Not Available ↑ Available

Double Cab SR 4X2 Regular Double Cab SR 4X2 Long Bed Bed

Double Cab SR

Double Cab SR5 L

Double Cab Limited

SAFETY & CONVENIENCE

Backup Camera with Back Guide Monitor	•	•	•	•	•
Front Seat Side Airbags	•	•	•	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•
Intuitive Parking Assist with Auto Braking			↑	-	•
Blind Spot Monitoring with RCTA		-	^	-	•

STAR SAFETY SYSTEM

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•

TOYOTA SAFETY SENSE 2.5

Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•
Automatic High Beam	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•
Sway Warning System	•	•	•	•	•

SECURITY

Anti-Theft Alarm System

CONVENIENCE

12Volt Accessory Power Outlet	•	•	•	•	•
Smart Key w/Push Button Start	•	•		-	-





Competitive Comparison

TOYOTA

TANDARD SPECIFICATIONS Standard — Not Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited	
ower Door Locks	•	•	•	•	•	
mart Key w/Push Button Start + Tailgate		-	•	•	•	
'ireless Charging		-	-	-	•	
ailgate Release Bump Switch (located in driver's de taillight)	;- 	gues	0000		•	
/ARNING						
re Pressure Monitoring System with Auto	•	•	•	•	•	
NFOTAINMENT						
OYOTA MULTIMEDIA						
OYOTA MULTIMEDIA riusXM Audio	•	•	•	•	•	
OYOTA MULTIMEDIA riusXM Audio D Radio	•	•	•	<u> </u>	-	
OYOTA MULTIMEDIA riusXM Audio	•	•	•	•	•	
riusXM Audio D Radio Vireless Android Auto Compatibility	•	•	•	•	•	
OYOTA MULTIMEDIA riusXM Audio D Radio Vireless Android Auto Compatibility Doyota Assistant	•	•	•	•	•	
riusXM Audio D Radio Vireless Android Auto Compatibility Doyota Assistant Vireless Apple CarPlay Compatibility	•	•	•	•	•	

Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	_	_	_	ene.	•
14" Toyota Multimedia	-	-	-	enere .	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)		-			•

USB Input/Charging Port DIMENSIONS

8" Toyota Multimedia

Bluetooth Capability

DIMENSIONS

AUDIO

Length mm (in.) 5932 (233.5) 6412 (252.4) 5932 (233.5) 6412 (252.4) 5932 (233.5) Width mm (in.) 2030 (79.9) 2030 (79.9) 2030 (79.9) 2030 (79.9) 2030 (79.9) Height mm (in.) 1926 (75.8) 1926 (75.8) 1982 (78.0) 1982 (78.0) 1982 (78.0) Wheelbase mm (in.) 3699 (145.6) 4179 (164.5) 3699 (145.6) 4179 (164.5) 3699 (145.6) Seating Capacity 5 5 5 5 5 5 Ground Clearance mm (in.) 264 (10.4) 262 (10.3) 279 (11.0) 274 (10.8) 277 (10.9) Front Headroom mm (in.) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0) Rear Headroom mm (in.) 978 (38.5) 978 (38.5) 978 (38.5) 978 (38.5) 978 (38.5)						
Height mm (in.) 1926 (75.8) 1926 (75.8) 1982 (78.0) 1982 (78.0) 1982 (78.0) Wheelbase mm (in.) 3699 (145.6) 4179 (164.5) 3699 (145.6) 4179 (164.5) 3699 (145.6) Seating Capacity 5 5 5 5 5 Ground Clearance mm (in.) 264 (10.4) 262 (10.3) 279 (11.0) 274 (10.8) 277 (10.9) Front Headroom mm (in.) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0)	Length mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)	5932 (233.5)
Wheelbase mm (in.) 3699 (145.6) 4179 (164.5) 3699 (145.6) 4179 (164.5) 3699 (145.6) Seating Capacity 5 5 5 5 5 Ground Clearance mm (in.) 264 (10.4) 262 (10.3) 279 (11.0) 274 (10.8) 277 (10.9) Front Headroom mm (in.) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0)	Width mm (in.)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)
Seating Capacity 5 7 (10.9) 277 (10.9) 277 (10.9) 277 (10.9) 277 (10.9) 277 (10.9) 1042 (41.0)	Height mm (in.)	1926 (75.8)	1926 (75.8)	1982 (78.0)	1982 (78.0)	1982 (78.0)
Ground Clearance mm (in.) 264 (10.4) 262 (10.3) 279 (11.0) 274 (10.8) 277 (10.9) Front Headroom mm (in.) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0)	Wheelbase mm (in.)	3699 (145.6)	4179 (164.5)	3699 (145.6)	4179 (164.5)	3699 (145.6)
Front Headroom mm (in.) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0) 1042 (41.0)	Seating Capacity	5	5	5	5	5
	Ground Clearance mm (in.)	264 (10.4)	262 (10.3)	279 (11.0)	274 (10.8)	277 (10.9)
Rear Headroom mm (in.) 978 (38.5) 978 (38.5) 978 (38.5) 978 (38.5) 978 (38.5)	Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
	Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)





Competitive Comparison



STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)	3315.76 (7310.0)
Towing Capacity kg (lbs.)†	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)	5035 (11100)
Payload (GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)	825 (1819)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)	2490.00 (5489.5)
Fuel Capacity litres (gal.)	83 (22)	85 (22)	83 (22)	121 (32)	121 (32)
Fuel Consumption - City/Highway/Combined L /100km	13.1/10.1/11.8	13.1/10.1/11.8	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	22/28/24	22/28/24	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (260)	348 (260)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	23	23	21	21	21
Departure Angle (Degrees)	22	22	24	24	24
Cargo Bed Length		-	1982 (78.0)	2469 (97.2)	1982 (78.0)

POWERTRAIN & MECHANICAL

Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)				•	•
TRUCK BED					
Header rail	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	G==0	-	-	•
Side Rail with Four Adjustable Tie Down Cleats			\uparrow	-	•
BRAKES					
Electric Parking Brake (EPB)	•	•	•	•	•
SUSPENSION					
Independent Front Suspension	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•
ENGINE					
Stop and Start Engine System (S&S)	•	•	•	•	•
Intercooled	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•
TRANSMISSION					
10-speed Direct Shift Automatic Transmission	•	•	•	•	•

INTERIOR







Competitive Comparison

тоуота

STANDARD SPECIFICATIONS Standard — Not Available	Double Cab SR 4X2 Regular Do	uble Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
INTERIOR MIRRORS					
Day and Night Mechanical Rear View Mirror	•	•	•	•	-
Electrochromic Rear View Mirror w/Homelink (EC)	Street .	-		-	•
SEATS					
Fabric Seats	•	•	•	-	-
Heated Front Seats			\uparrow	•	•
3-way Power Adjustable Driver and Passenger Seats			↑	•	•
2-way Power Adjustable Driver and Passenger Lumbar Support		-	\uparrow	•	•
SofTex Seats	Control		Comp	-	•
Ventilated Front Seats	Comp.	C1000	Comp	-	•
Driver Seat Memory System		-	etion 0	-	•
STEERING WHEEL					
Tilt & Telescopic Steering Wheel	•	•	•	•	•
Heated Leather Wrapped Steering Wheel	-	-	↑	•	•
VINDOWS					
Electric Rear Window Defroster	•	•	•	•	•
Power Sliding Rear Window	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	•	•
Front Windshield Acoustic Glass	•	•	•	•	•
Black Window Frame	•	•	-	-	-
Power Windows with Driver Side Auto Up / Down		_	•	•	•
CLIMATE CONTROL					
Single Zone Automatic Climate Control	•	•	•	-	-
Rear Seat Heater Ducts	•	•	•	•	•
Dual Zone Automatic Climate Control	enes	-	↑	•	•
NSTRUMENTATION					
2.2-in. colour TFT Multi Information Display	•	•	•	•	•
Oil Pressure Gauge	•	•	•	•	•
Voltmeter	•	•	•	•	•
INTERIOR LIGHTING					
lluminated Entry	•	•	•	•	•
FLOORING					
All Season Floor Mats	•	•	•	•	•
TRIM					
Silver Inside Door Handle			•	•	•





Competitive Comparison

тоуота	
--------	--

STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	ouble Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
eather Wrapped Shift Knob		-	↑	•	•
EXTERIOR					
TIRES					
P245/75R18	•	•	•	-	-
P265/70R18	0.00		↑	•	↑
265/60R20 All Season Tires	esse .	Garage Control	↑	B=0	•
VIPERS					
Vindshield Wiper Deicer	•	•	•	•	•
/ariable Intermittent Wipers	•	•	•	•	•
EXTERIOR MIRRORS					
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•
Power Folding Mirrors					•
Memory Mirrors		-	0.00	-	•
Electrochromic Driver's Side View Mirror		0			•
EXTERIOR LIGHTING					
Bi-Beam LED Headlamps	•	•	•	•	•
Headlamps with Manual Level Control	•	•	•	•	•
.ED Daytime Running Lights	000		•	•	•
.ED Fog Lamps			↑	•	•
EXTERIOR					
Black Mud Guards	•	•	•	•	•
Active Grille Shutters	g==0	-	↑	•	•
Active Front Spoiler	g==0	-	↑	•	•
Power Slide / Tilt Moonroof					•
WHEELS					
8" Styled Steel Wheels	•	•	•	Desc.	
8" Alloy Wheels	0000	000	↑	•	0==0
20" Alloy Wheels	0000	0000			•
20" TRD Sport alloy wheels			↑	-	
MECHANICAL FEATURES					
Part-Time 4WD	gues	C1100	•	•	•
railer Brake Controller	e==0	e==	↑	•	•
Hill-start Assist Control (HAC)	e==0	e==	↑	•	•
Orive Mode Select (Sport, Eco and Normal Modes			↑		

OPTIONAL FEATURES







Competitive Comparison

TOYOTA
IOIOIA

STANDARD SPECIFICATIONS	Double Cab SR 4X2 Regular				
● Standard — Not Available ↑ Available	Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
OPTIONAL FEATURES					
TRD Front Grille	000				↑
TRD Off Road Shock Absorbers		-	↑	-	↑
18" Off Road Alloy Wheels		-	↑	-	↑
TRD Heated Steering Wheel		-	↑	-	↑
DAC (Downhill Assist Control)		-	↑	-	↑
Multi-Terrain Select		-	↑	-	↑
Locking Rear Differential		-	↑	-	↑
Crawl Control (CRAWL)		-	↑	-	↑
TRD Leather Wrapped Shift Knob		-	↑	-	-
TRD Sport Tuned Shock Absorbers		-	↑	-	-
Power Extendable/Folding Towing Mirrors	2000		↑		
Remove: Active Front Spoiler	2000		-		↑
Multi Terrain View Monitor	0000	00	0.00	-	↑





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison

TOYOTA

MODELS



PACKAGE

Standard Package

Ly Tundra SR5

L₃ Tundra TRD Sport

L→ Tundra SR5 TRD Off Road

CrewMax SR5 L

PACKAGE

Standard Package

L₃ Tundra TRD Off Road

Ly TRD Off Road (Towing Mirrors)



PACKAGE

Limited Nightshade

L→ Tundra Limited TRD Off Road

CrewMax Limited L



PACKAGE

Limited Nightshade L

Ly Tundra Limited TRD Off Road

CrewMax Platinum



PACKAGE

Standard Package

L→ Platinum (Towing Mirrors)

L₃ Tundra Platinum 1794

L 1794 (Towing Mirrors)

CrewMax Platinum L



PACKAGE

Standard Package

L Platinum (Towing Mirrors)

Ly Tundra Platinum 1794

L 1794 (Towing Mirrors)

AVAILABLE EXTERIOR COLOURS



Celestial Silver Metallic

Smoked Mesquite

- Wind Chill Pearl
- Midnight Black Metallic
- Lunar Rock

- Magnetic Grey Metallic
- Supersonic Red
- Blueprint

AVAILABLE INTERIOR COLOURS

- Black Cloth
- Black Leather

- Black SofTex
- Saddle Tan Leather

Grey SofTex











Competitive Comparison

OPTIONAL PACKAGES

TUNDRA CREWMAX SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- · Heated Leather Wrapped Steering Wheel
- · Leather Wrapped Shift Knob
- 18" Alloy Wheels
- · LED Fog Lamps

- · 2-way Power Adjustable Driver and Passenger **Lumbar Support**
- Towing Capacity kg (lbs.): 5060 (11155)
- · Dual Zone Automatic Climate Control
- · Trailer Brake Controller
- · Active Front Spoiler
- P265/70R18

- · 8-way Power Adjustable Driver and Passenger
- · Fuel Capacity litres (gal.): 121 (32)
- · Hill-start Assist Control (HAC)
- · Active Grille Shutters
- · Heated Front Seats

SR5 TRD OFF ROAD

- · Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Hill-start Assist Control (HAC)
- 18" Off Road Alloy Wheels
- · Locking Rear Differential
- · Active Grille Shutters
- · TRD Front Grille

- · 2-way Power Adjustable Driver and Passenger Lumbar Support
- · Side Rail with Four Adjustable Tie Down Cleats
- · Fuel Capacity litres (gal.): 121 (32)
- · Blind Spot Monitoring with RCTA
- · DAC (Downhill Assist Control)
- · TRD Heated Steering Wheel
- Multi-Terrain Select
- · LED Fog Lamps

Lumbar Support

- · 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Dual Zone Automatic Climate Control
- · TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- · Trailer Brake Controller
- · Heated Front Seats
- P265/70R18

TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- · Hill-start Assist Control (HAC)
- TRD Sport Tuned Shock Absorbers
- · TRD Heated Steering Wheel
- · Active Front Spoiler · LED Fog Lamps
- · Side Rail with Four Adjustable Tie Down Cleats

· 2-way Power Adjustable Driver and Passenger

- Fuel Capacity litres (gal.): 121 (32)
- Blind Spot Monitoring with RCTA
- TRD Leather Wrapped Shift Knob
- · Trailer Brake Controller
- · Heated Front Seats

- · 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- · Dual Zone Automatic Climate Control
- 20" TRD Sport alloy wheels
- · 265/60R20 All Season Tires
- · Active Grille Shutters
- · TRD Front Grille

TUNDRA CREWMAX SR5 L

TRD OFF ROAD

- · Side Rail with Four Adjustable Tie Down Cleats
- TRD Leather Wrapped Shift Knob
- · Remove: Active Front Spoiler
- · TRD Heated Steering Wheel
- · TRD Front Grille

- · Intuitive Parking Assist with Auto Braking
- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- · Crawl Control (CRAWL)

- · Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- · Locking Rear Differential
- · Multi-Terrain Select





Competitive Comparison



TRD OFF ROAD (TOWING MIRRORS)

- Side Rail with Four Adjustable Tie Down Cleats
- · Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- · Locking Rear Differential
- · Multi-Terrain Select

- · Intuitive Parking Assist with Auto Braking
- TRD Leather Wrapped Shift Knob
- · Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- TRD Front Grille

- · Power Extendable/Folding Towing Mirrors
- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- Crawl Control (CRAWL)

TUNDRA CREWMAX LIMITED

LIMITED TRD OFF ROAD

- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- · TRD Heated Steering Wheel
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- · Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- · Locking Rear Differential
- · Multi-Terrain Select

TUNDRA CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- 18" Off Road Alloy Wheels
- TRD Off Road Shock Absorbers
- TRD Heated Steering Wheel
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- · Remove: Active Front Spoiler
- · Locking Rear Differential
- · Multi-Terrain Select

TUNDRA CREWMAX PLATINUM

PLATINUM 1794

- 20" Machine-finished alloy wheels
- Chrome grille and exterior accents
- Real Walnut Wood Trim

PLATINUM (TOWING MIRRORS)

• Power Extendable/Folding Towing Mirrors

1794 (TOWING MIRRORS)

- Power Extendable/Folding Towing Mirrors
- Real Walnut Wood Trim

- 20" Machine-finished alloy wheels
- Chrome grille and exterior accents

TUNDRA CREWMAX PLATINUM L

PLATINUM 1794

- 20" Machine-finished alloy wheels
- Chrome grille and exterior accents
- Real Walnut Wood Trim

PLATINUM (TOWING MIRRORS)

• Power Extendable/Folding Towing Mirrors

1794 (TOWING MIRRORS)

- Power Extendable/Folding Towing Mirrors
- Real Walnut Wood Trim

- 20" Machine-finished alloy wheels
- Chrome grille and exterior accents





Competitive Comparison



STANDARD SPECIFICATIONS

● Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
SAFETY & CONVENIENCE						
SAFETY						
Backup Camera with Back Guide Monitor	•	•	•	•	0000	-
Front Seat Side Airbags	•	•	•	•	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•	•	•
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•	•
Intuitive Parking Assist with Auto Braking	↑	↑	•	•	•	•
Blind Spot Monitoring with RCTA	↑	↑	•	•	•	•
Panoramic View Monitor	-	-	-		•	•
STAR SAFETY SYSTEM						
Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•	•
Star Safety System: Brake Assist (BA)	•	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•	•
TOYOTA SAFETY SENSE 2.5						
Right/Left Turn Oncoming Pedestrian Detection/Braking	•	•	•	•	•	•
Lane Tracing Assist	•	•	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	•	•	•	•	•	•
Automatic High Beam	•	•	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•	•	•
Lane Departure Alert with Steering Assist	•	•	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•	•
Sway Warning System	•	•	•	•	•	•
SECURITY						
Anti-Theft Alarm System	•	•	•	•	•	•
CONVENIENCE						
12Volt Accessory Power Outlet	•	•	•	•	•	•
Power Door Locks	•	•	•	•	•	•





Competitive Comparison

(4)
TOYOTA

STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Smart Key w/Push Button Start + Tailgate	•	•	•	•	•	•
Wireless Charging	-	-	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)			•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-	-	-	-	•	•
WARNING						
Tire Pressure Monitoring System with Auto Location	•	•	•	•	•	•

INFOTAINMENT

TOVOTA	MIII	TIMED	IΛ

SiriusXM Audio	•	•	•	•	•	•
HD Radio	•	•	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•	•	•
Toyota Assistant	•	•	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	-	_	-	_
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	-		-	-
8" Toyota Multimedia	•	•	-	-	-	-
Bluetooth Capability	•	•	•	•	•	•
9 Speakers	•	•	•	•	-	-
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	-		•	•	•	•
14" Toyota Multimedia	-	-	•	•	•	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)		-	•	•	•	•
12 Speaker JBL Audio System	-	-		-	•	•

DIMENSIONS

USB Input/Charging Port

DIMENSIONS

AUDIO

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)





Competitive Comparison

тоуота

STANDARD	SPECIFICATIONS	
----------	----------------	--

● Standard — Not Available ↑ Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)†	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload (GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	83 (22)	121 (32)	121 (32)	121 (32)	121 (32)	121 (32)
Fuel Consumption - City/Highway/Combined L/100km	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)
3rd Seat Headroom mm (in.)	-	-	_	1096	_	-
3rd Seat Shoulder Room mm (in.)	-		-	27	-	

POWERTRAIN & MECHANICAL

MECHA	NICAL	FEATL	JRES

Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)		•	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-	-		-	•	•

TRUCK BED

Header rail	•	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	-	-	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	\uparrow	↑	•	•	•	•

BRAKES

Electric Parking Brake (EPB)	•	•	•	•	•	•

SUSPENSION

Independent Front Suspension	•	•	•	•	•	•
Rear Coil Springs	•	•	•	•	•	•

ENGINE

Stop and Start Engine System (S&S)	•	•	•	•	•	•
Intercooled	•	•	•	•	•	•
3.5 Litre Twin Turbo V6	•	•	•	•	•	•
Antivo Naine Combrel	_					

TRANSMISSION







Competitive Comparison

Ų.

Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum
10-speed Direct Shift Automatic Transmission		•	•		•	
To speed Bried Stille National and Transmission	•	•	•	•	•	•
INTERIOR						
INTERIOR MIRRORS						
Day and Night Mechanical Rear View Mirror	•	•				-
Electrochromic Rear View Mirror w/Homelink (EC)	0000		•	•	Green Common	-
Digital Display Rear View Mirror with Homelink (subject to availability**)	-	_	_	-	•	•
SEATS						
Fabric Seats	•	•	-		-	-
Heated Front Seats	↑	•	•	•	•	•
8-way Power Adjustable Driver and Passenger Seats	↑	•	•	•	-	-
2-way Power Adjustable Driver and Passenger Lumbar Support	↑	•	•	•	-	
SofTex Seats	-	-	•	•	-	-
Ventilated Front Seats	-	-	•	•	•	•
Driver Seat Memory System	-	-	•	•	•	•
Leather Seats	man .				•	•
Ventilated Rear Seats		-			•	•
Heated Rear Seats	-			-	•	•
4-way Power Adjustable Driver and Passenger Lumbar Support	0.00	0.00	0.00		•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	gues .	E	e	Comp.	•	•
STEERING WHEEL						
Tilt & Telescopic Steering Wheel	•	•	•	•	Green Common	-
Heated Leather Wrapped Steering Wheel	↑	•	•	•	•	•
Power Tilt & Telescopic Steering Wheel	-	-	0.00	-	•	•
WINDOWS						
Electric Rear Window Defroster	•	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•		•	•
Front Windshield Acoustic Glass	•	•	•	•	•	•
Power Windows with Driver Side Auto Up / Down	•	0000	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•	•	•
Power Windows with Driver Side Auto Down	gent.	•	gue c	00	Over Over Over Over Over Over Over Over	
CLIMATE CONTROL						
Single Zone Automatic Climate Control	•	G==0		0-0	c==	•
Rear Seat Heater Ducts	•	•	•	•	•	•
Dual Zone Automatic Climate Control		•	•	•	•	•

INSTRUMENTATION





Competitive Comparison

тоуота

Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum I
4.2-in. colour TFT Multi Information Display	•	•	•	•		-
Oil Pressure Gauge	•	•	•	•	•	•
Voltmeter	•	•	•	•	•	•
12.3-in Full Color TFT Multi Information Display Gauge Cluster				-	•	•
Head-Up Display				-	•	•
INTERIOR LIGHTING						
Illuminated Entry	•	•	•	•	•	•
Ambient Lighting	cont.	B100		-	•	•
FLOORING						
All Season Floor Mats	•	•	•	•	•	•
TRIM						
Silver Inside Door Handle	•	•	•	•	•	•
Leather Wrapped Shift Knob	↑	•	•	•	•	•
EXTERIOR						
TIRES						
P245/75R18	•	-	-			-
P265/70R18	↑	•	↑			-
265/60R20 All Season Tires	↑		•	•	•	•
WIPERS						
Windshield Wiper Deicer	•	•	•	•	•	•
Variable Intermittent Wipers	•	•	•	•	-	-
Rain Sensing Wipers		-		-	•	•
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•
Power Folding Mirrors	-		•	•		-
Memory Mirrors	-		•	•	•	•
Electrochromic Driver's Side View Mirror	0000	C	•	•	•	•
EXTERIOR LIGHTING						
Bi-Beam LED Headlamps	•	•	•	•	-	-
Headlamps with Manual Level Control	•	•	•	•	-	0.00
LED Daytime Running Lights	•	•	•	•	•	•
LED Fog Lamps	↑	•	•	•	•	•
Premium Triple-Beam LED Headlamps	Barrel				•	•
Auto Leveling Headlamp System	-	-	-	-	•	•

EXTERIOR





Competitive Comparison

(\mathfrak{P})
TOYOTA

STANDARD SPECIFICATIONS						
Standard — Not Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Black Mud Guards	•	•	•	•	•	•
Active Grille Shutters	↑	•	•	•	•	•
Active Front Spoiler	↑	•	•	•	•	•
Panoramic Moonroof	-	-	•	•	•	•
MIC Black Grille, Overfender, Rear Bumper	-	-	•		-	-
Body Colour Grille Surround	-	-	•		-	-
Gloss Black Belt Moulding, Exterior Door Handle and Tailgate Handle	-		•	-	-	-
Semi Black 4x4 Badge and Name Badge	-	-	•	-	-	-
Chrome grille and exterior accents	c==				↑	↑
WHEELS						
18" Styled Steel Wheels	•	-	-	0000	-	-
18" Alloy Wheels	1	•	-	0000	-	-
20" Alloy Wheels	-	-	-		•	•
20" TRD Sport alloy wheels	↑	0000	•	guest.	C	Gent Control
MECHANICAL FEATURES						
Part-Time 4WD	•	•	•	•	•	•
Trailer Brake Controller	↑	•	•	•	•	•
Hill-start Assist Control (HAC)	↑	•	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	↑					

OPTIONAL FEATURES

OPTIONAL FEATURES

01 11010/121 2711 01(25						
TRD Front Grille	↑	↑	↑	↑	-	
TRD Off Road Shock Absorbers	Λ.	Υ	↑	Λ.	-	-
18" Off Road Alloy Wheels	↑	↑	↑	↑	-	
TRD Heated Steering Wheel	\uparrow	\uparrow	\uparrow	\uparrow	_	-
DAC (Downhill Assist Control)	\uparrow	\uparrow	\uparrow	\uparrow	_	-
Multi-Terrain Select	\uparrow	\uparrow	\uparrow	\uparrow	_	-
Locking Rear Differential	\uparrow	\uparrow	\uparrow	\uparrow	_	-
Crawl Control (CRAWL)	-	\uparrow	\uparrow	\uparrow	_	-
TRD Leather Wrapped Shift Knob	\uparrow	\uparrow	-	-	_	-
TRD Sport Tuned Shock Absorbers	\uparrow	-	-	-	_	-
Power Extendable/Folding Towing Mirrors	-	\uparrow	-	-	\uparrow	\uparrow
Remove: Active Front Spoiler	-	\uparrow	\uparrow	\uparrow	_	-
Multi Terrain View Monitor	-	-	↑	↑	-	-
20" Machine-finished alloy wheels	-	-	-	-	↑	↑
Real Walnut Wood Trim	-	-	-	-	↑	↑





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weight is to weigh your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safety. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details





Competitive Comparison

тоуота

MODELS

CrewMax Limited

PACKAGE

Limited Nightshade

L→ Tundra Limited TRD Off Road

Ly Tundra TRD Pro

CrewMax Limited L

PACKAGE

Limited Nightshade L

La Tundra Limited TRD Off Road

CrewMax Platinum

PACKAGE

Standard Package

Ly Tundra 1794

 $f L_{\!ullet}$ Platinum with Advanced Package (Towing Mirrors)

1794 with Advanced Package (Towing Mirrors)

CrewMax Capstone

PACKAGE

Standard Package

L→ Capstone (Towing Mirrors)

AVAILABLE EXTERIOR COLOURS

White

Celestial Silver Metallic

Solar Octane

Lunar Rock

Wind Chill Pearl

Midnight Black Metallic

Smoked Mesquite

Blueprint

Magnetic Grey Metallic

Supersonic Red

Terra

AVAILABLE INTERIOR COLOURS

Black SofTex

Black Leather

Grey SofTex

Saddle Tan Leather

Cockpit Red SofTex

Black/White Semi-Aniline Leather











Competitive Comparison

TOYOTA

OPTIONAL PACKAGES

TUNDRA HYBRID CREWMAX LIMITED

LIMITED TRD OFF ROAD

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- TRD Off Road Shock Absorbers
- · TRD Heated Steering Wheel
- · Multi-Terrain Select

- 18" Off Road Alloy Wheels
- · Remove: Active Front Spoiler
- · Locking Rear Differential
- · TRD Front Grille

- DAC (Downhill Assist Control)
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

TRD PRO

- TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX® Internal Bypass coil-overs and rear remote-reservoir shocks)
- TRD Pro Logo / technical camo pattern inserts on front seats
- 18" TRD Pro Black Forged BBS® Wheels
- Rear Headroom mm (in.): 937 (36.9)
- · DAC (Downhill Assist Control)
- · Exterior Amber Marker Lights
- · Multi Terrain View Monitor
- · Locking Rear Differential
- TRD Pro Hood Badge

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- 'TOYOTA' passenger-side dash panel badging
- 'TRD PRO' stamped tailgate
- · Black Dual Exhaust w/ TRD logo
- · Auto Leveling Headlamp System
- · TRD Pro Front Stabilizer Bar
- · TRD Heated Steering Wheel
- · Crawl Control (CRAWL)
- TRD Skid Plate

- TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar
- · 'Technical Camouflage' exterior accents
- Front Headroom mm (in.): 998 (39.3)
- Remove: Active Grille Shutters
- Remove: Active Front Spoiler
- 12 Speaker JBL Audio SystemSmoked Headlamps/Foglamps
- Multi-Terrain Select
- P285/65R18

TUNDRA HYBRID CREWMAX LIMITED L

LIMITED TRD OFF ROAD

- Xply™ Armor high-strength engine, fuel tank and transfer case undercovers
- TRD Off Road Shock Absorbers
- TRD Heated Steering Wheel
- Multi-Terrain Select

- 18" Off Road Alloy Wheels
- Remove: Active Front Spoiler
- · Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- · Multi Terrain View Monitor
- · Crawl Control (CRAWL)
- P265/70R18

TUNDRA HYBRID CREWMAX PLATINUM

1794

• 20" Machine-finished alloy wheels

PLATINUM WITH ADVANCED PACKAGE (TOWING MIRRORS)

- Load-leveling Rear Height Control Air Suspension
- Drive Mode Select (5 modes)
- Power Extendable/Folding Towing Mirrors
- Adaptive Variable Suspension (AVS)

1794 WITH ADVANCED PACKAGE (TOWING MIRRORS)

- Load-leveling Rear Height Control Air Suspension
- Power Extendable/Folding Towing Mirrors
- Drive Mode Select (5 modes)





Competitive Comparison



STANDARD SPECIFICATIONS Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
SAFETY & CONVENIENCE				
SAFETY				
Backup Camera with Back Guide Monitor	•	•	G==0	
Front Seat Side Airbags	•	•	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	•	•	•	•
Driver and Front Passenger Knee Airbags	•	•	•	•
Child Protector Rear Door Locks	•	•	•	•
Oriver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•
ntuitive Parking Assist with Auto Braking	•	•	•	•
Blind Spot Monitoring with RCTA	•	•	•	•
Panoramic View Monitor		-	•	•
STAR SAFETY SYSTEM				
itar Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•
itar Safety System: Brake Assist (BA)	•	•	•	•
Star Safety System: Vehicle Stability Control VSC)	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•
Star Safety System: Traction Control (TRAC)	•	•	•	•
OYOTA SAFETY SENSE 2.5				
Right/Left Turn Oncoming Pedestrian Detection (Braking	•	•	•	•
ane Tracing Assist	•	•	•	•
eft Turn Oncoming Vehicle Detection/Braking	•	•	•	•
Automatic High Beam	•	•	•	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•
Dynamic Radar Cruise Control	•	•	•	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•
iway Warning System	•	•	•	•
SECURITY				
anti-Theft Alarm System	•	•	•	•
CONVENIENCE				
2Volt Accessory Power Outlet	•	•	•	•





Competitive Comparison

тоуота

STANDARD SPECIFICATIONS	6
-------------------------	---

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Power Door Locks	•	•	•	•
Smart Key w/Push Button Start + Tailgate	•	•	•	•
Wireless Charging	•	•	•	•
Tailgate Release Bump Switch (located in driver's-side taillight)	•	•	•	•
Power Fuel Lid Release	•	•	•	•
WARNING				
Tire Pressure Monitoring System with Auto Location	•	•	•	•

INFOTAINMENT

TOYOTA MULTIMEDIA

TOYOTA MULTIMEDIA				
SiriusXM Audio	•	•	•	•
HD Radio	•	•	•	•
Wireless Android Auto Compatibility	•	•	•	•
Toyota Assistant	•	•	•	•
Wireless Apple CarPlay Compatibility	•	•	•	•
Bluetooth Capability	•	•	•	•
9 Speakers	•	•	-	-
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	•	•	•	•
14" Toyota Multimedia	•	•	•	•
12 Speaker JBL Audio System	↑	no.	•	•
AUDIO				
USB Input/Charging Port	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	5932 (233.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3701 (145.7)	3701 (145.7)
Seating Capacity	5	5	5	5
Ground Clearance mm (in.)	282 (11.1)	279 (11.0)	279 (11.0)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	998 (39.3)	998 (39.3)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	937 (36.9)	937 (36.9)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)





Competitive Comparison

TOYOTA

STAND	ΔRD	SPECII	FICATI	ONS

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Gross Vehicle Weight kg (lbs.)	3455.02 (7617.0)	3514.98 (7749.2)	3475.02 (7661.1)	3480.01 (7672.1)
Towing Capacity kg (lbs.)†	5067 (11171)	5005 (11034)	4995 (11012)	4690 (10340)
Payload (GVWR-curb weight) kg (lbs.)*	730 (1609)	750 (1653)	710 (1565)	675 (1488)
Base Curb Weight kg (lbs.)	2725.00 (6007.6)	2765.01 (6095.8)	2765.01 (6095.8)	2805.02 (6184.0)
Fuel Capacity litres (gal.)	121 (32)	121 (32)	121 (32)	121 (32)
Fuel Consumption - City/Highway/Combined L /100km	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7	12.7/10.5/11.7
Fuel Consumption - City/Highway/Combined mpg	22/27/24	22/27/24	22/27/24	22/27/24
Horsepower (kW)	437 (325)	437 (325)	437 (325)	437 (325)
Approach Angle (Degrees)	21	21	21	21
Departure Angle (Degrees)	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1677 (66.0)

POWERTRAIN & MECHANICAL

MECHANICAL FEATURES

Tow Package - Heavy Duty Tow Hitch Receiver	•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	Total Control of the	greet.	•	•
TRUCK BED				
Header rail	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet	•	•	•	•
Side Rail with Four Adjustable Tie Down Cleats	•	•	•	•
BRAKES				
Flectric Parking Brake (FDR)	•	•	•	•

SUSPENSION

Independent Front Suspension	•	•	•	•
5 Link Rear Suspension	•	•	•	•

ENGINE

Intercooled	•	•	•	•
3.5 Litre Twin Turbo V6 Hybrid	•	•	•	•
Active Noise Control	-		•	•

TRANSMISSION

10-speed Direct Shift Automatic Transmission	•	•	•	•

INTERIOR

INTERIOR MIRRORS

Electrochromic Rear View Mirror w/Homelink (EC)	•	•		8145
Digital Display Rear View Mirror with Homelink (subject to availability**)	-		•	•





Competitive Comparison



Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
EATS				
Heated Front Seats	•	•	•	•
3-way Power Adjustable Driver and Passenger Seats	•	•	-	-
2-way Power Adjustable Driver and Passenger .umbar Support	•	•	_	-
SofTex Seats	•	•	-	
/entilated Front Seats	•	•	•	•
Oriver Seat Memory System	•	•	•	•
Leather Seats	-	-	•	-
/entilated Rear Seats		-	•	•
Heated Rear Seats		-	•	•
4-way Power Adjustable Driver and Passenger umbar Support			•	•
0-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat	med .		•	•
Semi-Aniline Leather Seats			-	•
TEERING WHEEL				
Tilt & Telescopic Steering Wheel	•	•	-	-
Heated Leather Wrapped Steering Wheel	•	•	•	•
Power Tilt & Telescopic Steering Wheel	gent.	C	•	•
WINDOWS				
Electric Rear Window Defroster	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	•
Front Windshield Acoustic Glass	•	•	•	•
Power Windows with Driver Side Auto Up / Down	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•
Front Side Laminated Glass		Total Control of the	-	•
CLIMATE CONTROL				
Rear Seat Heater Ducts	•	•	•	•
Dual Zone Automatic Climate Control	•	•	•	•
NSTRUMENTATION				
Dil Pressure Gauge	•	•	•	•
/oltmeter	•	•	•	•
2.3-in Full Color TFT Multi Information Display Gauge Cluster	•	•	•	•
Head-Up Display			•	•
NTERIOR LIGHTING				
lluminated Entry	•	•	•	•





Competitive Comparison

TOYOTA
TOYOTA

CTANDARD CRECIEICATIONS				
STANDARD SPECIFICATIONS ■ Standard — Not Available ↑ Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Ambient Lighting				
Ambient Lighting			•	•
FLOORING				
All Season Floor Mats	•	•	•	•
TRIM				
Leather Wrapped Shift Knob	•	•	•	•
Backlit "CAPSTONE" passenger-side instrument panel badge			Cook	•
EXTERIOR				
TIRES				
P265/70R18	↑	↑		-
265/60R20 All Season Tires	•	•	•	-
P265/50R22	greet.	500	gues .	•
WIPERS				
Windshield Wiper Deicer	•	•	•	•
Variable Intermittent Wipers	•	•	Sint.	-
Rain Sensing Wipers	D-10		•	•
EXTERIOR MIRRORS				
Power Adjustable Heated Exterior Mirrors	•	•	•	•
Power Folding Mirrors	•	•	Sint.	-
Memory Mirrors	•	•	•	•
Electrochromic Driver's Side View Mirror	•	•	•	•
EXTERIOR LIGHTING				
Bi-Beam LED Headlamps	•	•	000	
LED Daytime Running Lights	•	•	•	•
LED Fog Lamps	•	•	•	•
Premium Triple-Beam LED Headlamps	mer .	mod.	•	•
Auto Leveling Headlamp System	↑	Cont	•	•
Sequential LED Tail Lamps	5	0000	•	•
EXTERIOR				
Black Mud Guards	•	•	•	•
Active Grille Shutters	•	•	•	•
Active Front Spoiler	•	•	•	•
Panoramic Moonroof	•	•	•	•
Hood Badge	•	•	•	•
arge Fuel Tank (122L)	•	•	•	•
Failgate Release Bump Switch	•	•	•	•
Power Running Boards and Bed Step	D-10	00000	•	•



STANDARD SPECIFICATIONS



Competitive Comparison

Standard — Not Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
Technical Camouflage' exterior accents	↑	-	•	•
Chrome grille and exterior accents	-	-	•	-
WHEELS				
20" Alloy Wheels	•	•	•	-
2" Aluminum Alloy Wheels	-	-	-	•

MECI	IANI	CAL	FEAT	URES

Part-Time 4WD	•	•	•	•
Trailer Brake Controller	•	•	•	•
Hill-start Assist Control (HAC)	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	•	•	•	•

OPTIONAL FEATURES

OPTIONAL FEATURES				
TRD Front Grille	↑	\uparrow	Since .	-
TRD Off Road Shock Absorbers	↑	↑		-
18" Off Road Alloy Wheels	↑	↑	time t	-
TRD Heated Steering Wheel	↑	\uparrow		-
DAC (Downhill Assist Control)	↑	↑	Cont	-
Multi-Terrain Select	\uparrow	\uparrow		-
Locking Rear Differential	\uparrow	\uparrow		-
Crawl Control (CRAWL)	\uparrow	\uparrow		-
Power Extendable/Folding Towing Mirrors	Book .	-	\uparrow	-
Remove: Active Front Spoiler	\uparrow	\uparrow		-
Multi Terrain View Monitor	\uparrow	\uparrow		-
Xply™ Armor high-strength engine, fuel tank and transfer case undercovers	\uparrow	\uparrow		_
TRD Pro Front Stabilizer Bar	↑	e	B110	•
TRD Pro Off-road Suspension with 1.1-in. front lift (2.5-in. FOX* Internal Bypass coil-overs and rear remote-reservoir shocks)	↑		- Const	good.
Remove: Active Grille Shutters	↑	-	ment .	-
TRD Pro Hood Badge	↑		end .	-
Smoked Headlamps/Foglamps	↑	-		-
'TOYOTA' passenger-side dash panel badging	\uparrow	-		-
P285/65R18	↑	-	Cont	-
18" TRD Pro Black Forged BBS® Wheels	↑		Greek Company	-
Exterior Amber Marker Lights	↑		Greek Company	-
TRD Pro Heritage 'TOYOTA' Grille w/ LED light bar	\uparrow			ene.
TRD Skid Plate	↑	-	Comp.	-
Black Dual Exhaust w/ TRD logo	↑	-	ment .	-





Competitive Comparison

TOYOTA

STANDARD SPECIFICATIONS

● Standard — Not Available ↑ Available	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Capstone
'TRD PRO' stamped tailgate	↑			Brief.
TRD Pro Logo / technical camo pattern inserts on front seats	\uparrow	-	-	-
20" Machine-finished alloy wheels	Server .	-	\uparrow	-
Drive Mode Select (5 modes)		-	↑	-
Adaptive Variable Suspension (AVS)	and .	-	↑	-
Load-leveling Rear Height Control Air Suspension		-	↑	-





Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

- * Payload Capacity is the calculation of GWWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's
- ** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to charge at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apoly. Service may vary by weblice and region. See usage or precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause hurns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment. "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and or vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle substance in the test of the properties of

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist shead of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclists, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System may not operate depending on the traffic conditions on the Intuitive Intersection Support will NOT detect pedestrians crossing the road in the same direction as the vehicle. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manneuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Canada Inc. reserves the right to make these changes without notice or obligation. The Toyota website toyota ca is updated regularly and it or your Toyota Dealer are your best source for up-to-date information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details